

# Cargille Laser Liquid Code S1056

**Safety Data Sheet** 

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

Page: 1/9

## **1** Identification

- · Product identifier
- Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595
- Product code: 20110, 20112-RC

#### · Recommended use and restriction on use

#### · Recommended use:

This SDS or an accurate copy is an integral part of using Immersion Liquid Code S1056. Only use Immersion Liquid Code S1056 if the SDS is present. Conditions prevailing in this document, unless otherwise noted: Temperature =  $23^{\circ}C(73^{\circ}F)$ , Pressure = 1013.25 hPa (760 mm Hg).

For Professional and R&D use only. Conditions of Intended Use: (ABBR. C.I.U.) As an Optical Liquid at normal room pressure 101.32 kPa (760 mm Hg), temperature -6°C to 65°C (20°F to 150°F) in a non misted/non airborne state in a room having a normal air changes (2)/HR., in a trained and supervised laboratory/industrial setting using standard Good Laboratory/Good Manufacturing procedures. Note: Product normally sold in 4 oz (120cc), 16 oz (480cc), and gallon (3.84L) quantities. Used in single drop to a few cubic centimeters per application. See requisitioner for specific quantities involved.

- · Restrictions on use: Contact manufacturer/supplier
- Details of the supplier of the Safety Data Sheet
   Manufacturer/Supplier: Cargille Laboratories
   55 Commerce Road
   Cedar Grove, NJ 07009-1289 USA
   973-239-6633
   www.cargille.com
- Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Acute Tox. 2 H330 Fatal if inhaled.

- · Additional information: Hazard applies to aerosolized material only.
- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



- · Signal word: Danger
- **Hazard statements:** H330 Fatal if inhaled.

(Cont'd. on page 2)

#### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

#### Trade name: Cargille Laser Liguid Code S1056 nD = 1.3993-1.4595 · Precautionary statements: (Cont'd. of page 1) P260 Do not breathe mist/vapors/spray. P284 In case of inadequate ventilation wear respiratory protection. Use only outdoors or in a well-ventilated area. P271 Immediately call a POISON CENTER/doctor. P310 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Other hazards There are no other hazards not otherwise classified that have been identified. **3** Composition/information on ingredients · Chemical characterization: Mixtures · Components: 70131-69-0 Silsesquioxanes, phenyl 40-60% · Additional information: For the wording of the listed Hazard Statements refer to section 16. For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. **4 First-aid measures** Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take affected persons out into the fresh air. · After inhalation: Supply fresh air. Provide oxygen treatment if affected person has difficulty breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eve contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Breathing difficulty Coughing (Cont'd. on page 3)

#### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

(Cont'd. of page 2)

#### Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595

· Danger:

Fatal if inhaled.

Danger of impaired breathing.

• Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- Additional information: In case of fire involving large quantities, evacuate area and fight fire from the upwind side.

# 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures: For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
 Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- Reference to other sections: See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595

Use only in well ventilated areas. Avoid breathing mist, vapors, or spray.

(Cont'd. of page 3)

· Information about protection against explosions and fires: No special measures required.

#### · Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and receptacles: Provide ventilation for receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s): No relevant information available.

#### 8 Exposure controls/personal protection

#### Control parameters

• Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Eye protection:** 



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. • **Body protection:** Protection may be required for spills.

(Cont'd. on page 5)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595

## • Limitation and supervision of exposure into the environment No relevant information available.

(Cont'd. of page 4)

9 Physical and chemical prop		
<ul> <li>Information on basic physical</li> </ul>	and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor: · Odor threshold:	Odorless Not determined.	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	<-23 °C (<-9 °F)	
<ul> <li>Boiling point/Boiling range:</li> </ul>	>174 °C (>345 °F)	
· Flash point:	≥100 °C (≥212 °F) (Open Cup)	
· Flammability (solid, gaseous):	Not applicable.	
$\cdot$ Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Not determined.	
· Vapor pressure:	<6.6 hPa (<5 mm Hg)	
· Density:		
Relative density:	0.95 (water = 1)	
Vapor density:	Not determined.	
Evaporation rate:	<1 (mineral oil =1)	
· Solubility in / Miscibility with		
Water:	<0.1 %	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic at 25 °C (77 °F):	15 cSt	
· Other information	No relevant information available.	

# 10 Stability and reactivity

• **Reactivity:** No relevant information available.

(Cont'd. on page 6)

#### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

#### Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595

Chemical stability: Stable under normal temperatures and pressures.
Thermal decomposition / conditions to be avoided:

(Cont'd. of page 5)

- No decomposition if used and stored according to specifications. **Possibility of hazardous reactions:** Reacts with strong acids and alkali. Reacts with strong oxidizing agents.
- Conditions to avoid: Excessive heat.
- · Incompatible materials: Oxidizers, strong bases, strong acids
- · Hazardous decomposition products:

Under fire conditions only: Carbon monoxide and carbon dioxide

#### 11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- ATE (Acute Toxicity Estimates)

Inhalative LC50/4h 0.8-1.0 mg/l (rat)

#### 70131-69-0 Silsesquioxanes, phenyl

Dermal LD50 >2001 mg/kg (rabbit)

Inhalative LC50/4h 0.467-0.500 mg/l (rat)

#### · Primary irritant effect:

- On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### • NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

• Probable route(s) of exposure:

- Ingestion.
- Inhalation.
- Eye contact.

Skin contact.

- Acute effects (acute toxicity, irritation and corrosivity): Fatal if inhaled.
- · Repeated dose toxicity: None.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

#### Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595

- **STOT-single exposure:** Based on available data, the classification criteria are not met. (Cont'd. of page 6)
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
$\cdot$ DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name		
· DOT, ADR, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
Class	Not regulated.	
· Packing group		
· DOT, ADR, IMDG, IATA	Not regulated.	

# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

# Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595

	(Cont'd. of page 7)
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	Νο
· Special precautions for user	Not applicable.
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	II of Not applicable.
· Transport/Additional information:	Mist is not likely to be generated in a leakage of the transport container.

Safety, health and environmental regulations/legislation specific mixture United States (USA)	for the substance
SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
	(Cont'd. on pag

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/11/2016

Revision: 10/11/2016

Trade name: Cargille Laser Liquid Code S1056 nD = 1.3993-1.4595

#### · Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. The information supplied is based on data available to us and is believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to this information presented and Cargille Laboratories assumes no responsibility for the result of the use of this product. This information is furnished upon the condition that the persons responsible for its use shall make their own determination of the suitability of the material for their particular purpose. Please note that we consider the English version to be the authoritative version for compliance and regulatory purposes.

· Date of preparation / last revision 10/11/2016 / -

 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed Acute Tox. 2: Acute toxicity - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Cont'd. of page 8)