# Cargille Sub-Lux Gel Code 0608C

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

### 1 Identification

· Product identifier

· Trade name: Cargille Sub-Lux Gel Code 0608C

· Product code: 24310

· Recommended use and restriction on use

· Recommended use:

This SDS or an accurate copy is an integral part of using Optical Gel Code 0608C. Only use Optical Gel Code 0608C if the SDS is present. Conditions prevailing in this document, unless otherwise noted: Temperature = 23°C(73°F), Pressure = 1013.25 hPa (760 mm Hg)

For Professional and R&D use only. Conditions of Intended Use: (ABBR. C.I.U.) As a Gel at normal room pressure 101.32 kPa (760 mm Hg), temperature 4°C to 40°C (39°F to 104°F) in a non misted / non airborne state in a room having normal air changes (2) / HR., in a trained and supervised laboratory / industrial setting using standard Good Laboratory/Good Manufacturing procedures. Note: Product normally sold 1 oz and 4 oz quantities.

- · Restrictions on use: Contact manufacturer/supplier
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Cargille Laboratories 55 Commerce Road Cedar Grove, NJ 07009-1289 USA 973-239-6633 www.cargille.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not regulated.
- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard statements: Not regulated.
- · Precautionary statements: Not regulated.
- · Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

1333-86-4 carbon black

🕸 Carc. 2, H351

1-5%

Page: 1/9

(Cont'd. on page 2)

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

Trade name: Cargille Sub-Lux Gel Code 0608C

· Additional information:

(Cont'd. of page 1)

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for carbon black note that the substance must be respirable.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Gaseous extinguishing agents

Carbon dioxide

Water fog / haze

· For safety reasons unsuitable extinguishing agents:

Water stream.

Water spray

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

Trade name: Cargille Sub-Lux Gel Code 0608C

(Cont'd. of page 2)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Ensure adequate ventilation.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling: Avoid splashes or spray in enclosed areas.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in a well-ventilated place. Keep cool.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizers, strong acids, strong bases.

· Further information about storage conditions:

Storage Temperatures: 39 - 104 °F / 4 - 40 °C.

Keep containers tightly sealed.

· Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

(Cont'd. on page 4)

(Cont'd. of page 3)

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

#### Trade name: Cargille Sub-Lux Gel Code 0608C

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- · Engineering controls: No relevant information available.
- Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:

Gloves not required under normal conditions of use.

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties				
· Information on basic physical and chemical properties				
· Appearance: Form:	Gel liquid.			
Color:	Black			
· Odor:	2.6.0.1			
· Odor.	Slight Characteristic			
· Odor threshold:	Not determined.			
· Odor threshold:	Not determined.			
· pH-value:	Not applicable.			
· Melting point/Melting range:	<-67 °C (<-89 °F)			
· Boiling point/Boiling range:	>416 °C (>781 °F)			
· Flash point:	>240 °C (>464 °F) (Open Cup)			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Not determined.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Non-oxidizing.			
		(Cont'd. on page 5)		

Page: 5/9

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

Trade name: Cargille Sub-Lux Gel Code 0608C

		(Cont'd. of page 4
Vapor pressure:	Not determined.	
Density:		
Relative density:	0.9 (water = 1)	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic at 40 °C (104 °F):	>20.5 mm <sup>2</sup> /sec (estimated)	
Other information `	No relevant information available.	

### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with strong acids and alkali.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers, strong bases, strong acids
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.

	· IARC (Internat	ional Agency fo	or Research on <b>b</b>	Cancer):
--	------------------	-----------------	-------------------------	----------

1333-86-4 carbon black

2B

(Cont'd. on page 6)

Page: 6/9

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

Trade name: Cargille Sub-Lux Gel Code 0608C

(Cont'd. of page 5)

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): None.
- · Repeated dose toxicity: None.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential:

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

- Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Cont'd. on page 7)

Page: 7/9

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

Trade name: Cargille Sub-Lux Gel Code 0608C

Uncleaned packagings

(Cont'd. of page 6)

• **Recommendation:** Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class	Not regulated.
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to carbon black is based on unbound respirable particles and is not generally applicable to product as supplied.

(Cont'd. on page 8)

Page: 8/9

# **Safety Data Sheet**

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

Trade name: Cargille Sub-Lux Gel Code 0608C

(Cont'd. of page 7)

1333-86-4 carbon black

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

Reference to carbon black is based on unbound respirable particles and is not generally applicable to product as supplied.

1333-86-4 carbon black

2B

· NIOSH-Ca (National Institute for Occupational Safety and Health):

1333-86-4 carbon black

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. The information supplied is based on data available to us and is believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to this information presented and Cargille Laboratories assumes no responsibility for the result of the use of this product. This information is furnished upon the condition that the persons responsible for its use shall make their own determination of the suitability of the material for their particular purpose. Please note that we consider the English version to be the authoritative version for compliance and regulatory purposes.

- Date of preparation / last revision 01/06/2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Cont'd. on page 9)

Page: 9/9

# **Safety Data Sheet**

#### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 01/06/2017 Revision: 01/06/2017

#### Trade name: Cargille Sub-Lux Gel Code 0608C

LDLo: Lowest Lethal Dose Observed Carc. 2: Carcinogenicity – Category 2

(Cont'd. of page 8)

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com