

Cargille Stabilur Tablets

Page: 1/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

1 Identification

- Product identifier
- · Trade name: Stabilur Tablets
- Product code: 40025, 40050, 40095, 40276
- · Recommended use and restriction on use
- · Recommended use:

This SDS or an accurate copy is an integral part of using Stabilur Tablets. Only use Stabilur Tablets if the SDS is present. Conditions prevailing in this document, unless otherwise noted: Temperature = $23^{\circ}C(73^{\circ}F)$, Pressure = 1013.25 hPa (760 mm Hg).

For Professional and R&D use only. Conditions of Intended Use: (ABBR. C.I.U.) As a Urinary stabilizer at normal room pressure 101.32 kPa (760 mm Hg) in a cup; not to be taken internally, temperature 1.7°C to 29.4°C (35°F to 85°F) in a non misted / non airborne state in a room having normal air changes (2) / HR., in a trained and supervised laboratory / industrial setting using standard Good Laboratory/Good Manufacturing procedures.

Note: 25 mg to 276mg tablets 500 to 10 000 / Bottle, Patient typically has access to one tablet / urine specimen.

• Restrictions on use: Contact manufacturer/supplier

- Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier:
- Cargille Laboratories 55 Commerce Road Cedar Grove, NJ 07009-1289 USA 973-239-6633 www.cargille.com
- Emergency telephone number: ChemTel Inc.
 (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



(Cont'd. on page 2)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

Trade name: Stabilur Tablets

Signal word: [
Hazard statem	
H315 Causes s	kin irritation.
	erious eye damage.
H317 May caus	se an allergic skin reaction.
H372 Causes d	lamage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation
Precautionary	statements:
P260	Do not breathe dust.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P314	Get medical advice/attention if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Trade Secret	20-<2
 STOT RE 1, H372 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315 	
 Trade Secret	10-20
Flam. Sol. 2, H228 Skin Sens. 1, H317	
Trade Secret	0.1-1
Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

(Cont'd. on page 3)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

Trade name: Stabilur Tablets

(Cont'd. of page 2)

4 First-aid measures
· Description of first aid measures
· General information:
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48
hours after the accident.
· After inhalation:
Unlikely route of exposure.
Supply fresh air; consult doctor in case of complaints.
After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
After eye contact:
Protect unharmed eye.
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. Then consult a doctor.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
• Most important symptoms and effects, both acute and delayed:
Coughing
Allergic reactions
Irritant to skin and mucous membranes.
Strong irritant with the danger of severe eye injury.
· Danger:
Causes serious eye damage.
Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. • Indication of any immediate medical attention and special treatment needed:
Medical supervision for at least 48 hours.
Treat skin and mucous membrane with antihistamine and corticoid preparations.
Contains methenamine. May produce an allergic reaction.
If medical advice is needed, have product container or label at hand.
5 Fire-fighting measures
· Extinguishing media
• Suitable extinguishing agents: Use fire fighting measures that suit the environment.
• For safety reasons unsuitable extinguishing agents: None.
· Special hazards arising from the substance or mixture
During heating or in case of fire poisonous gases are produced.
· Advice for firefighters
· Protective equipment:
Wear self-contained respiratory protective device.
Wear fully protective suit.
wear runy protective suit.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

Trade name: Stabilur Tablets

(Cont'd. of page 3)

6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Environmental precautions Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. · Methods and material for containment and cleaning up Pick up mechanically. Send for recovery or disposal in suitable receptacles. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Handling · Precautions for safe handling: Thorough dedusting. Use only in well ventilated areas. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. · Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.
 Do not store together with oxidizing and acidic materials.
- Further information about storage conditions: Storage Temperatures : 50 - 95 °F / 5 - 35 °C. Store in dry conditions. Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

Trade Secret

EV (C);
-------	----

anada) Short-term value: 2 mg/m³, 0.35 ppm

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Trade name: Stabilur Tablets

Revision: May 08, 2017

(Cont'd. of page 4) **Trade Secret** Long-term value: 0.1 mg/m³ PEL (USA) as Hg; see OSHA standard interpretation memo Long-term value: 0.05* mg/m³ REL (USA) Ceiling limit value: 0.1 mg/m³ as Hg; *Vapor; Skin Long-term value: 0.025 mg/m³ TLV (USA) as Hg; Skin; BEI Long-term value: 0.025 mg/m³ EL (Canada) as Hg; Skin, R Long-term value: 0.025 mg/m³ EV (Canada) as Hg, Skin LMPE (Mexico) Long-term value: 0.025 mg/m³ A4, PIEL, IBE; como Hg · Ingredients with biological limit values: Trade Secret BEI (USA) 35 µg/L Medium: urine Time: prior to shift Parameter: Total inorganic mercury (background) 15 µg/L Medium: blood Time: end of shift at end of workweek Parameter: Total inorganic mercury (background) · Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. · Engineering controls: No relevant information available. · Breathing equipment: Not required under normal conditions of use. NIOSH or EU approved dust respirator should be used for operations generating dust. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. (Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

Trade name: Stabilur Tablets

(Cont'd. of page 5)

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical prope	rties
 Information on basic physical and Appearance: 	nd chemical properties
Form:	Solid
Color:	Whitish
· Odor:	Weak, characteristic
· Odor threshold:	Not determined.
	Not applicable
 pH-value: Melting point/Melting range: 	Not applicable. >122 °C (>252 °F)
· Boiling point/Boiling range:	>122 C (>232 F) >218 °C (>424 °F)
· Flash point:	>121 °C (>250 °F) (Closed Cup)
· Flammability (solid, gaseous):	Burn Rate: <2.2 mm/s
• Auto-ignition temperature:	>260 °C (>500 °F) (Estimate)
· Decomposition temperature:	Not determined.
 Danger of explosion: 	Not determined.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
 Oxidizing properties: 	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	1.10 ± 0.05 g/cm³ (9.18 ± 0.417 lbs/gal) (Estimate)
· Relative density:	Not determined.
 Vapor density: 	Not applicable.
 Evaporation rate: 	Not applicable.
· Solubility in / Miscibility with	
Water at 23 °C (73 °F):	240 g/l
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
	(Cont'd. on page 7

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

Trade name: Stabilur Tablets

· Other information

No relevant information available.

(Cont'd. of page 6)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and oxidizing agents. Reacts with certain metals.
- Conditions to avoid Excessive heat.

Sources of ignition, open flame, incompatible materials.

- Incompatible materials Oxidizers
- Hazardous decomposition products Carbon monoxide and carbon dioxide Mercury oxides. Toxic metal oxide smoke

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 >2500 mg/kg (rat) ({ATE} Stabilur Tablets)

Trade Secret

Oral LD50 18 mg/kg (rat)

Primary irritant effect:

- On the skin: Irritant to skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- Probable route(s) of exposure:
- Ingestion. Inhalation.

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Trade name: Stabilur Tablets

Revision: May 08, 2017

(Cont'd. of page 7)

- Eve contact. Skin contact.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure:

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: May be accumulated in organism
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information
- · General notes:

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

Waste treatment methods

· Recommendation:

Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

(Cont'd. on page 9)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

Trade name: Stabilur Tablets

• Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. of page 8)

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

United States (USA)

·SARA

• Section 302 (extremely hazardous substances):

None of the ingredients are listed.

• Section 355 (extremely hazardous substances):

Trade Secret

 \cdot Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)

Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Cont'd. on page 10)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Revision: May 08, 2017

Trade name: Stabilur Tablets

(Cont'd. of page 9)

3

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

 \cdot Chemicals known to cause developmental toxicity:

· Carcinogenic categories

· EPA (Environmental Protection Agency):

Trade Secret

Trade Secret

· IARC (International Agency for Research on Cancer):

Trade Secret

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. The information supplied is based on data available to us and is believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to this information presented and Cargille Laboratories assumes no responsibility for the result of the use of this product. This information is furnished upon the condition that the persons responsible for its use shall make their own determination of the suitability of the material for their particular purpose. Please note that we consider the English version to be the authoritative version for compliance and regulatory purposes.

· Date of preparation / last revision May 08, 2017 / -

· Abbreviations and acronyms:

LDLo: Lowest Lethal Dose Observed ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Sol. 2: Flammable solids - Category 2 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 1: Acute toxicity - Category 1 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1

(Cont'd. on page 11)

Revision: May 08, 2017

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 08, 2017

Trade name: Stabilur Tablets

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 (Cont'd. of page 10) STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com